



Equipped with an original arm tensioning system with motorized movement, it can vary from 10 to 40 degrees in inclination to improve sun protection and achieve sophisticated privacy. When closed, the awning transforms the box into a refined aesthetic detail that enhances and completes the architectural project.

T-Hide

Rationality and technology meet and are summarized in this extendable arm awning. T-Hide is an awning with box that can reach dimensions of 700 cm in width and 400 cm in depth. Designed for wall installation, it can be equipped with a concealed front volant, which can be operated with a multi-channel remote control and can be completed with a system of adjustable LED lights to modulate the brightness. All functions can be controlled by remote control or a high-performing smartphone application





T-Hide

TECHNICAL FEATURES

- Retractable arm awning with watertight protective box made of aluminium that can be installed on the wall or on the ceiling
- Winding tube Ø 78mm
- Arm slope from 10° to 40° (30° if provided with LEDs on the front profile and/ or motorized valance)
- Preassembled awning at the sides of the front profile
- Water discharged at the sides of the front profile
- Arm lenghtening system with composite fiber tape
- Class 1 wind resistance, according to UNI EN 13561 European reulation

MAXIMUM SIZE

• Maximum dimensions: width 700 cm x depth 400 cm

REGISTERED PATENT



Product with a registered design through model registration or EU design


LAYOUTS

T-Hide Volant (Optional) Box Standard complete preassembling of the awning and of its electrical part


Arm stretch system with belt

Water drainage in the front profile


SPACE OCCUPIED




Wall Installation



Ceiling Installation



Arm Tilt



Maximum Tilt with motorized valance

T-Hide LED (Optional) LED on the LED on wall mounted front profile Full LED

TECHNICAL FEATURES

Installation of dimmable white LEDs on the wall-mounted box and on the front profile

LED Control:

ON / OFF and remote control; On / OFF with external wired command (by the customer)

Possibility to turn on the two LEDs both simultaneously and separately

Adjustable light intensity (version with remote control)



T- Hide

FRAME









White Sand

Ivory Sand

Grey Sablé

White Semi -Gloss

Ivory Semi -Gloss

Optional







Iron Grey



Corten





PLASTIC COMPONENTS











White

Ivory

Iron grey

Grey

Corten