

Windy



Windy



Windy is the vertical awning designed and patented by Pratic that offers different solutions to close outdoor spaces and create new sheltered environments.

The use of telescopic guides for sliding the canvas allow Windy to be inserted into any structure, even with posts or skewed walls; the Shy Zip retention system allows also the canvas to remain in the guides, absorbing any movement of the canvas

Once rewound, the awning is protected by the aluminium box, whose closure is guaranteed by the aluminium front and the rubber seals.

Windy




TECHNICAL FEATURES

- Box for fabric protection available in different sizes to fit any context
- Awning that can be installed in wall recess or can be combined with Pratic pergolas
- The front profile is equipped with a draught excluder profile for total protection
- Cover can be made using screening, blackout or transparent fabrics choosing among a wide range of typologies
- Made with the following types of fabric: stain-resistant, waterproof, completely transparent (up to 450 cm), screening and equipped with windows
- Fabric is held within the side guides by a zip thanks to a patented system that prevents it from coming out (Free and HD excluded)


MAXIMUM SIZE

- Maximum width: 400 cm; height: 450 cm.


LAYOUTS




Zip Guides



Profile with Brush



Front profile with brush



Inspection Brush

Windy



FRAME



White Sand



Ivory Sand



Grey Sablé



White Semi -
Gloss




Ivory Semi -
Gloss


Optional



Bright
Aluminium
Matt



Iron Grey



Corten




RAL of your
choice



Tiger Coating
Colors Class 2

PLASTIC COMPONENTS



Grey