

ideco

Outdoor Blinds



Sun Protection



Wind Protection



Fire-Resistant Fabrics



Stainless Steel Screws



Deposited Models



CE Certification



Outdoor Blinds - Sunscreen®

The ultimate external screening solution with Ideco Outdoor blinds

Fabric from one of the world's leader of sunscreen fabric for blinds

Very high mechanical resistance and dimensional stability

Motor by Somfy® (France) and manual gear by BAT (Italy)

Model can be provided with a 4 mm stainless steel cable guide

5 year warranty

▶ Maximum Dimensions
Max Width : 700 cm
Max height : 500 cm

▶ Colour fastness under light
7 (scale of 8)

▶ Breaking warp & weft
>200 daN / 5 cm

▶ Fabric Origin
France, Belgium & China

Weave Pattern: Basketweave




WHITE / LINEN
W-3000



PEARL / SNOW
W-3000



GREY / SAND
W-3000



LINEN / BRONZE
W-3000



SABLE / SABLE
W-3000



SNOW / SNOW
W-3000

2 Years Warranty
On Fabrics

Weave Pattern: Twill weave



CHARCOAL / CHARCOAL
W-3020



WHITE / WHITE - PEARL / GREY
W-3020



SAND / SAND
W-3020



SAND / BRONZE
W-3020

Composition:	30% Polyester, 70% PVC
Opening factor:	Appx 5%
Weight (g/m2):	525g/m
Thickness (mm):	0.7mm
Warp Density per inch:	38
Weft Density per inch:	36
Color Fastness:	5

Composition:	42% Fibreglass, 58% PVC
Opening factor:	Appx 5%
Weight (g/m2):	535g/m
Thickness (mm):	0.55 mm
Warp Density yarn/cm:	18
Weft Density yarn/cm:	14
Color Fastness:	7





**MADE IN
ITALY**

1 Outdoor Blinds With Cables

Motorised



Ceiling Fixation



Wall Fixation



Cable Guide with lock



Floor Fixation



Wall Fixation



Bracket Cover

Fabric

Bottom rail
with cable guide

Cable

Floor terminal Kit

Manual



Hand Crank



Bottom Bar Weight (Optional)

2 Outdoor Blinds Without Cables

Motorised




Ceiling Fixation



Wall Fixation



Hook



Bracket Cover

Fabric

Bottom rail
Hook

Manual



Hand Crank



Cover Brackets (Under 5 m)



White Color



Black Color

Bottom Bars



White Color



Brown Color

Brackets (Over 5m)




White Color




Brown Color

Bottom Bars' Fabric



Outside Fabric



Inside Fabric

Floor Terminal Kit



White Color




Brown Color







Wall Bracket /
Wall Fixation




Ceiling Bracket /
Floor Fixation



Wall Bracket



Ceiling Bracket



The Ultime Motor Solution


The Maestria™ 50 RTS is designed to motorize all types of exterior vertical screens. Its advanced features and intelligent detection system expand your business opportunities and provide customers a reliable screen experience every time



Obstacle detection*

Accurately detects obstacles, stopping after meeting an object traveling up or down.

Protects carrier products and prevents fabric damage resulting from screen bunching and slipping from the guides. Distinguishes between an actual obstacle and wind, even wind gusts, so it doesn't stop unnecessarily, resulting in fewer service calls and end user peace of mind.



Back release

Releases the motor brake after detecting the obstacle preventing fabric damage

somfy®



THREE LIMIT SETTING MODES


Automatic
Semi-automatic (up end-limit)
Manual



Ultra-precise limit adjustment

Position the load bar exactly where preferred with incremental control.

Completely protect from insects and pests. Provide perfect screen alignment.



Automatic limit setting mode

Accurate and fast, completed in only two steps. Automatically adjusts fabric tension, guaranteeing constant tension and protecting the screen even after years of use.

Maestria™ 50 RTS is compatible with a wide range of Radio Technology Somfy® (RTS) controls.

TELIS RTS HAND-HELD REMOTES



Telis RTS hand-held remotes offer convenient and simple operation of motorized exterior screens. Single channel remotes can operate on individual product or one group of motorized products. Available in 1, 5 or 16 channels.

RTS AUTOMATIC SENSORS



Eolis RTS
Wind Sensor

Automate the operation of screens based on the wind while maximizing protection and energy efficiency.

WIRELESS WALL SWITCHES

Smooove® 1 RTS Wireless
Surface Mounted Wall Switch



For station control on an interior wall, Somfy offers battery-powered wall switch - an ideal way to operate motorized screens without the need for an electrician.



Comply with RoHS and REACH regulations.



Somfy offers end product suppliers a 5 years warranty on all motors and controls.





CONTACT US

Tel: 212 7214 **Fax:** 212 7218

info@ideco.mu **www.ideco.mu**

VISIT US



Old Pailles Road, Pailles



Lower Vale, The Vale